

High-Dimensional Expanders Research Group

April 25, 2019

Roughly speaking high-dimensional expanders (HDXs) are hypergraph expanders having similar properties to complete simplicial complexes. This is analogous to the 1-dimensional case in which expander graphs have similar properties to complete graphs. Over the past 40 years expander graphs flourished as an important field at the intersection of theoretical computer science (TCS) and mathematics [12]. Building on top of this rich expander graph theory, the young field of HDXs has already been instrumental in recent breakthroughs (e.g. counting bases of matroids [1], derandomizing direct product tests [7], Gromov's topological overlap property [15], etc) and there is a strong hope that HDXs may turn out to be fundamental objects as their one dimensional analogues. Currently, there is no shortage of open problems about HDXs ranging from their very construction (we only know a few of them) to applications in coding theory, optimization and hardness of approximation.

An ambitious line of work in the TCS community is to use HDXs to achieve three goals: linear size Probabilistically Checkable Proofs (PCPs), completely explicit PCP constructions and random PCP constructions.

In this line of work some natural questions arise (according to the author's biases). Towards the first goal it might be instructive to address the following problems.

- 1.1 When are CSPs on HDXs hard for our best algorithms (e.g. Sum-of-Squares)? The answer might suggest good parameters for PCPs on HDXs.
- 1.2 What codes can be obtained from HDXs? In the classical PCP theory, codes and PCPs are intimately connected.
- 1.3 How do these codes can be used for hardness?

The second goal might involve the following problems.

- 2.1 What combinatorial constructions of HDXs can we obtain?
- 2.2 Is there a generalized zig-zag [31] product for HDXs?
- 2.3 How does representation theory help?

The third goal could be a major breakthrough in average case hardness. It might benefit from answers to the following questions.

- 3.1 What are good random models for HDXs? This problem seems surprisingly more involved than the graph case.

3.2 Are random CSPs coming from these models hard for our best algorithms (e.g. Sum-of-Squares)?

Another question is: what HDX partitioning can be obtained assuming HDX special property? The one dimensional theory is rich with such results [23].

1 HDX and Related Papers

In the following we briefly describe some papers about or related to HDXs. Lubotzky has a HDX survey in ICM 2018 [26]. Please note that this list of papers is intended to serve only as starting point for our reading group, but we do not need and should not be restricted to it.

1.1 HDXs Applications to TCS

The HDX field started in pure mathematics around 2005 and only very recently has seen applications in TCS. This freshness provides a variety of research opportunities.

- In [7], Dinur and Kaufman showed that HDXs are “agreement expanders”. As a consequence HDXs can be used to derandomize product test which is an important test in the PCP literature. (Taken by Fernando.)
- In [6], Dinur et al. show how to list decode a product codes using double samplers. Currently, the only known constructions of double samplers are based on HDXs. (Taken by Dylan.)
- In [1], Anari et al. presented an efficient scheme to count bases of a matroid solving a longstanding open problem of Vazirani and Vinzant. (Taken by Akash.)

1.2 HDXs Applications to Mathematics

- In [18], Kaufman and Mass obtained good distance lattices using high-dimensional expanders.

1.3 HDXs Properties

- In [4], Dinur et al. introduce a machinery of expanding posets clarifying the spectral theory of an important class of HDXs. Their machinery shows that natural random walks on these HDXs behave similarly to their counterpart in the complete complex. (Taken by Shashank.)
- In [20], Kaufman and Oppenheim obtain similar spectral results those obtained in [4]. However, the language adopted in these two papers is different.
- In [30], Parzanchevski et al. develop isoperimetric inequalities for HDXs (e.g. they have a notion of high-dimensional Cheeger’s inequality).
- In [17], Kaufman and Mass (KM) present some notion of high-dimensional expansion. Spectrally, their result is weaker than [4] and [20]. However, KM result has a stronger combinatorial flavor.
- In [14, 15], Kaufman et al. address a conjecture of Gromov about a property called topological overlap which generalizes geometric overlap.

- In [9], Evra and Kaufman provide constructions of topological expanders of every dimension generalizing [14].
- In [16], Kaufman and Lubotzky show that certain notions of high-dimensional expansion are equivalent to testability of some properties.

1.4 HDXs Constructions

- Conlon et al. [2] gave a combinatorial construction of HDXs with an **almost** linear number of hyperedges. Currently, it might be the simplest non-trivial construction of HDXs. (Taken by Tulsiani.)
- In [19], Kaufman and Oppenheim give a linear size construction of one-sided link HDXs. The construction is algebraic and uses representation theory. (Taken by Tushant.)
- In [29, 28], Lubotzky et al. construct Ramanujan complexes generalizing Ramanujan graphs. Their construction is algebraic.

1.5 HDXs Random Models

- In [27], Lubotzky et al. present the first bounded degree random model of HDXs. (Taken by Bohdan.)
- In [24], Linial and Meshulam present a dense random model of HDXs similar to the $\mathcal{G}_{n,p}$ random graph model.

1.6 Complete Complex

Roughly, HDXs provide sparse approximations to complete complexes. In some cases, understanding properties of complete complexes may be important towards understanding HDXs. Contrary to complete graphs, properties of complete complexes can be far from trivial.

- In [10], Filmus develop a theory of Boolean functions over a slice of the Boolean cube. Part of his result can be seen as a complete complex analogue of [4].
- In [8], Dinur and Steurer show direct product tests for complete complexes. Their result is used as black box in [7].
- In [3], Dinur et al. show a direct sum test for complete complexes. Similarly, their result is used as black box in [7].

1.7 Classical Results

- Finding forbidden minors: one-sided [21] and two-sided testers [22]. (Taken by Akash.)
- Expander graph survey [12] of Hoory, Linial and Wigderson.
- In [13], Impagliazzo et al. give a PCP construction using direct product. Further derandomizing their construction using HDXs may yield linear size PCPs.

- In [31], Reingold et al. give a combinatorial construction of HDXs using a graph operation called zig-zag product which has connections to semi-direct product on groups [25]. It is an open problem to find combinatorial constructions of HDXs. (Taken by Chris.)
- In [5], Dinur gives an influential combinatorial PCP using expander graphs. Her ideas might be useful in obtaining a linear size PCP using HDXs.
- In [23], Kowk et al. provide graph partitioning based on higher eigenvalues generalizing Cheeger's inequality.
- Some natural walks in the complete complex are related to the Johnson scheme [11]
- Spherical buildings [32] arise as substructures of Ramanujan complexes.

2 Format of the Reading Group

For each paper presentation, we also require a \LaTeX document clearly stating the main result, explaining the architecture of its proofs and ideally providing a few proofs that illuminate the main result (possibly with simpler parameters). This document should be convertible to wordpress using Trevisan's LaTeX2WP so that we can create a blog post about the result.

To encourage collaboration papers can be read and presented by two people. Nonetheless, single person presentation is also welcome.

To improve the quality of the final document we will designate a reviewer in case of single person presentation. The reviewer is expected to assist in the clarity of the document and point out typos. For this reason, you might be expected to review a few documents (possibly one or at most two). We hope that the review process might also encourage collaboration.

The presentation follows a similar structure to KTH TCS seminar. The presentation has two parts. The first hour is intended to motivation, overview of the main result and simpler proofs. It is followed by a 10 minutes break. Finally, we allocate one hour and 30 minutes for more technical and detailed proofs.

The goal is to have weekly presentations starting at 4:00pm. The precise day of the week is to be defined according to majority vote.

References

- [1] Nima Anari, Kuikui Liu, Shayan Oveis Gharan, and Cynthia Vinzant. Log-concave polynomials II: high-dimensional walks and an FPRAS for counting bases of a matroid. *CoRR*, abs/1811.01816, 2018.
- [2] David Conlon, Jonathan Tidor, and Yufei Zhao. Hypergraph expanders of all uniformities from Cayley graphs. *arXiv e-prints*, page arXiv:1809.06342, September 2018.
- [3] Roei David, Irit Dinur, Elazar Goldenberg, Guy Kindler, and Igor Shinkar. Direct sum testing. *ITCS '15*, pages 327–336, New York, NY, USA, 2015. ACM.

- [4] Yotam Dikstein, Irit Dinur, Yuval Filmus, and Prahladh Harsha. Boolean function analysis on high-dimensional expanders. In *Approximation, Randomization, and Combinatorial Optimization. Algorithms and Techniques, APPROX/RANDOM 2018, August 20-22, 2018 - Princeton, NJ, USA*, pages 38:1–38:20, 2018.
- [5] Irit Dinur. The pcp theorem by gap amplification. In *Proceedings of the Thirty-eighth Annual ACM Symposium on Theory of Computing, STOC '06*, pages 241–250, New York, NY, USA, 2006. ACM.
- [6] Irit Dinur, Prahladh Harsha, Tali Kaufman, Inbal Livni Navon, and Amnon Ta-Shma. List decoding with double samplers. *Electronic Colloquium on Computational Complexity (ECCC)*, 25:136, 2018.
- [7] Irit Dinur and Tali Kaufman. High dimensional expanders imply agreement expanders. In *58th IEEE Annual Symposium on Foundations of Computer Science, FOCS 2017, Berkeley, CA, USA, October 15-17, 2017*, pages 974–985, 2017.
- [8] Irit Dinur and David Steurer. Direct product testing. In *Proceedings of the 2014 IEEE 29th Conference on Computational Complexity, CCC '14*, pages 188–196, 2014.
- [9] Shai Evra and Tali Kaufman. Bounded degree cosystolic expanders of every dimension. STOC '16, pages 36–48, 2016.
- [10] Yuval Filmus. An orthogonal basis for functions over a slice of the boolean hypercube. *Electr. J. Comb.*, 23(1):P1.23, 2016.
- [11] Christopher Godsil and Karen Meagher. *Erdős-Ko-Rado Theorems: Algebraic Approaches*. Cambridge Studies in Advanced Mathematics. Cambridge University Press, 2015.
- [12] Shlomo Hoory, Nathan Linial, and Avi Wigderson. Expander graphs and their applications. *Bull. Amer. Math. Soc.*, 43(04):439562, August 2006.
- [13] Russell Impagliazzo, Valentine Kabanets, and Avi Wigderson. New direct-product testers and 2-query pcps. In *Proceedings of the Forty-first Annual ACM Symposium on Theory of Computing, STOC '09*, pages 131–140, 2009.
- [14] Tali Kaufman, David Kazhdan, and Alexander Lubotzky. Ramanujan complexes and bounded degree topological expanders. In *55th IEEE Annual Symposium on Foundations of Computer Science, FOCS 2014, Philadelphia, PA, USA, October 18-21, 2014*, pages 484–493, 2014.
- [15] Tali Kaufman, David Kazhdan, and Alexander Lubotzky. Isoperimetric inequalities for Ramanujan complexes and topological expanders. *Geometric and Functional Analysis*, 26(1):250–287, Feb 2016.
- [16] Tali Kaufman and Alexander Lubotzky. High dimensional expanders and property testing. In *Innovations in Theoretical Computer Science, ITCS'14, Princeton, NJ, USA, January 12-14, 2014*, pages 501–506, 2014.
- [17] Tali Kaufman and David Mass. High dimensional random walks and colorful expansion. In *8th Innovations in Theoretical Computer Science Conference, ITCS 2017, January 9-11, 2017, Berkeley, CA, USA*, pages 4:1–4:27, 2017.

- [18] Tali Kaufman and David Mass. Good distance lattices from high dimensional expanders. *CoRR*, abs/1803.02849, 2018.
- [19] Tali Kaufman and Izhar Oppenheim. Construction of new local spectral high dimensional expanders. In *Proceedings of the 50th Annual ACM SIGACT Symposium on Theory of Computing*, STOC 2018, pages 773–786. ACM, 2018.
- [20] Tali Kaufman and Izhar Oppenheim. High order random walks: Beyond spectral gap. In *Approximation, Randomization, and Combinatorial Optimization. Algorithms and Techniques, APPROX/RANDOM 2018, August 20-22, 2018 - Princeton, NJ, USA*, pages 47:1–47:17, 2018.
- [21] A. Kumar, C. Seshadhri, and A. Stolman. Finding forbidden minors in sublinear time: A $n^{1/2+o(1)}$ -query one-sided tester for minor closed properties on bounded degree graphs. In *59th IEEE Annual Symposium on Foundations of Computer Science, FOCS 2018, Paris, France, October 7-9, 2018*, pages 509–520, 2018.
- [22] A. Kumar, C. Seshadhri, and A. Stolman. Random walks and forbidden minors ii: A $\text{poly}(d\epsilon^{-1})$ -query tester for minor-closed properties of bounded degree graphs. *Electronic Colloquium on Computational Complexity (ECCC)*, 2019.
- [23] Tsz Chiu Kwok, Lap Chi Lau, Yin Tat Lee, Shayan Oveis Gharan, and Luca Trevisan. Improved cheegers inequality: analysis of spectral partitioning algorithms through higher order spectral gap. In *In 45th annual ACM symposium on Symposium on theory of computing, STOC 13*, pages 11–20. ACM, 2013.
- [24] Nathan Linial and Roy Meshulam. Homological connectivity of random 2-complexes. *Combinatorica*, 26(4):475–487, Aug 2006.
- [25] A. Lubotzky. Semi-direct product in groups and zig-zag product in graphs: Connections and applications. In *Proceedings of the 42Nd IEEE Symposium on Foundations of Computer Science*, FOCS '01, 2001.
- [26] Alexander Lubotzky. High dimensional expanders. In *ICM*, 2018.
- [27] Alexander Lubotzky, Zur Luria, and Ron Rosenthal. Random steiner systems and bounded degree coboundary expanders of every dimension. *Discrete & Computational Geometry*, Apr 2018.
- [28] Alexander Lubotzky, Beth Samuels, and Uzi Vishne. Explicit constructions of ramanujan complexes of type ad. *Eur. J. Comb.*, 26(6):965–993, August 2005.
- [29] Alexander Lubotzky, Beth Samuels, and Uzi Vishne. Ramanujan complexes of typeãd. *Israel Journal of Mathematics*, 149(1):267–299, Dec 2005.
- [30] Ori Parzanchevski, Ron Rosenthal, and Ran J. Tessler. Isoperimetric inequalities in simplicial complexes. *Combinatorica*, 36(2):195–227, Apr 2016.
- [31] O. Reingold, S. Vadhan, and A. Wigderson. Entropy waves, the zig-zag graph product, and new constant-degree expanders and extractors. In *Proceedings 41st Annual Symposium on Foundations of Computer Science*, pages 3–13, Nov 2000.
- [32] M Roman. *Lectures on Buildings*. University of Chicago Press, 2009.